

## Duck Island Yacht Club 2010 PHRF LOCAL CERTIFICATE

FINAL RATING: SPINNAKER	90	NON- SPINNAKER	106	CLASS	SB	
TIME ON TIME TCF 1.0156 0.9954						
Please complete in FEET AND HUNDREDS OF AN INCH						

COPY THIS FORM TO YOUR COMPUTER FROM THE WEBSITE BEFORE MAKING ANY ENTRIES. When completed, save it as DIboatname10.xls (ex. DISnowbird.xls) and e-mail as an attrachment to;

pvm461@yahoo.com

Or you can mail completed form to Paul von Maffei, 461 Three Corners Road, Guilford, CT 06437

If this is a new boat design please attach profile/plan/sailplan drawings (jpg or pdf). Please name the file **boatname.jpg** (or pdf) **(ex. Snowbird.jpg)** when you e-mail it to me, thank you.

## **General Owner and Boat Data**

BOAT NAME	Entourage Racing		SAIL NO.	USA 566	
	Melges 24		DATE BUILT	2004	
BUILDER	Melges Zenda		HULL NO.	566	
DESIGNER	Reighel Pugh	ONE DE	SIGN CLASS		
OWNER'S NAME	Nick Amendola				
ADDRESS	164 Notch Hill Road				
CITY, STATE, ZIP CODE	North Branford, CT 06471				
YACHT CLUB	Duck Island Yacht Club				
EVENING PHONE #	203-526-5111	FAX			
DAYTIME PHONE #	203-433-4349	FAX			
E-MAIL ADDRESS	usa566@hotmail.com				
PREVIOUS ECSA PHRF #	90	PREVIOUS	DIYC PHRF#	90	
ECSA MEMBER ? Yes Vo	US SAILING MEMBER?	✓ Yes	NO	#270467U	

From time to time we may make owners' names and addresses available to parties wishing to circulate information on yachting related subjects. If you DO NOT wish to receive such information, please tick here :

## **General Dimension and Information**

## Please describe your boat. Check appropriate description with "X".

Propeller:	Exposed:	NA	In Aperture:	NA	Retracted:	NA	
Propeller Type	Fold/feath:	NA	Autoprop:	NA	Solid:	NA	
# of Blades	Two:	NA	Three:	NA	Four:	NA	
Keel Material:	Lead:	Lead	Iron:	NA	Other:	NA	
Rudder type:	Attached:	Attached	Spade	NA	Skeg:	NA	
Engine:	Inboard:	Outboard	Outboard:	Honda 2.5	None:	NA	
Keel Type:	Fin:	Lead	Full:	NA	K/C Board:	NA	
Mast Material:	Aluminum:	Carbon Fiber	Wood:	NA	Crb-Fiber:	Х	
Spinnaker Pole:	None:	Carbon Fiber	Traditional:	NA	Sprit:	Х	
		· · · · · · · · · · · · · · · · · · ·	_	·		·	

Mainsails exceeding these dimensions must be declared, and will be penalized on an individual basis.  Do your mainsail Girth dimensions exceed limits stated above and or exceed your class mainsail Girths?	Unless standard for a class, unpenalized mainsail girth shall be limited as follows:  MGT (7/8 leech) shall not exceed .22E  MGU (3/4 leech) shall not exceed .38E  MGM (1/2 leech) shall not exceed .65E						
Girths?		,	•		ed on an indi	vidual basis.	
Overall hull length LOA 24.00 DRAFT 5.00 Foretriangle base 1 27.85 BALLAST 630 Boat J dimension J 7.95 WPL 0.00 Boat P dimension main hoist P 28.90 JSP 0.00 Banded main foot length E E 12.45 PY 0.00 Length waterline LWL 22.00 SPL NA Maximum beam Beam 8.20 ISP 27.85  LARGEST HEADSAIL USED (LP TO NEAREST .01FT) 9.13  LARGEST ASYMMETRIC SPINNAKER GIRTH: NA SL: NA  LARGEST ASYMMETRIC SPINNAKER AN ASYMMETRICAL, FLOWN ONLY SPINNAKER AN ASYMMETRICAL, FLOWN ONLY SPINNAKER AN ASYMMETRICAL, FLOWN ONLY FROM THE JIB TACK (NEVER A POLE) N/A Yes No  IF YOU HAVE AN ASYMMETRIC SPINNAKER WAS IT MADE PRIOR TO 2004? Yes No  ALWAYS USE-ABOVE DECK ROLLER FURLING GEAR WHEN RACING N-SPINN Yes No  Have you added to or replaced any sails in your inventory since your last rating? yes No					-	nainsail	
Overall hull length  LOA 24.00  Foretriangle base  I 27.85  BALLAST 630  BALLAST 630  Boat J dimension  J 7.95  WPL 0.00  Boat P dimension main hoist  P 28.90  Banded main foot length E  I 12.45  PY 0.00  Banded main foot length E  Displacement in pounds  Length waterline  LWL 22.00  Length waterline  LWL 22.00  SPL NA  Maximum beam  Beam 8.20  LARGEST HEADSAIL USED (LP TO NEAREST .01FT)  LARGEST SYMMETRIC SPINNAKER  GIRTH:  NA  SL:  NA  LARGEST ASYMMETRIC SPINNAKER  AMG:  SLE:  33.25  ASF:  20.50  IS YOUR ONLY SPINNAKER AN ASYMMETRICAL, FLOWN ONLY FROM THE JIB TACK (NEVER A POLE)  IF YOU HAVE AN ASYMMETRIC SPINNAKER WAS IT MADE PRIOR TO 2004?  Yes No  ALWAYS USE-ABOVE DECK ROLLER FURLING GEAR WHEN RACING N-SPINN Yes No  Have you added to or replaced any sails in your inventory since your last rating?  yes No	MGT:		MGU:		MGM:		
Overall hull length  LOA 24.00  Foretriangle base  I 27.85  BALLAST 630  BALLAST 630  Boat J dimension  J 7.95  WPL 0.00  Boat P dimension main hoist  P 28.90  Banded main foot length E  I 12.45  PY 0.00  Banded main foot length E  Displacement in pounds  Length waterline  LWL 22.00  Length waterline  LWL 22.00  SPL NA  Maximum beam  Beam 8.20  LARGEST HEADSAIL USED (LP TO NEAREST .01FT)  LARGEST SYMMETRIC SPINNAKER  GIRTH:  NA  SL:  NA  LARGEST ASYMMETRIC SPINNAKER  AMG:  SLE:  33.25  ASF:  20.50  IS YOUR ONLY SPINNAKER AN ASYMMETRICAL, FLOWN ONLY FROM THE JIB TACK (NEVER A POLE)  IF YOU HAVE AN ASYMMETRIC SPINNAKER WAS IT MADE PRIOR TO 2004?  Yes No  ALWAYS USE-ABOVE DECK ROLLER FURLING GEAR WHEN RACING N-SPINN Yes No  Have you added to or replaced any sails in your inventory since your last rating?  yes No							
Foretriangle base  Boat J dimension  J 7.95  BALLAST 630  WPL 0.00  Boat P dimension main hoist  P 28.90  Banded main foot length E  E 12.45  PY 0.00  Displacement in pounds  Length waterline  LWL 22.00  Maximum beam  Beam 8.20  LARGEST HEADSAIL USED (LP TO NEAREST .01FT)  LARGEST SYMMETRIC SPINNAKER  AMG: 0.00  SLU: 37.58  SLE: 33.25  ASF: 20.50  IS YOUR ONLY SPINNAKER AN ASYMMETRICAL, FLOWN ONLY FROM THE JIB TACK (NEVER A POLE)  FYOU HAVE AN ASYMMETRIC SPINNAKER WAS IT MADE PRIOR TO 2004? Yes No  NO  NO  HE YOU HAVE AN ASYMMETRIC SPINNAKER WAS IT MADE PRIOR TO 2004? Yes No  Have you added to or replaced any sails in your inventory since your last rating? Yes No  Have you added to or replaced any sails in your inventory since your last rating?		RIG ANI	D SAIL DIMEN	SIONS			
IS YOUR ONLY SPINNAKER AN ASYMMETRICAL, FLOWN ONLY FROM THE JIB TACK (NEVER A POLE)  IF YOU HAVE AN ASYMMETRIC SPINNAKER WAS IT MADE PRIOR TO 2004? Yes No ALWAYS USE-ABOVE DECK ROLLER FURLING GEAR WHEN RACING N-SPINN Yes No Have you added to or replaced any sails in your inventory since your last rating? Yes No	Foretriangle base Boat J dimension Boat P dimension main hoist Banded main foot length E Displacement in pounds Length waterline Maximum beam  LARGEST HEADSAIL USED (LP TO NE	I J P E Disp. LWL Beam	27.85 7.95 28.90 12.45 1750 22.00 8.20  OIFT)  GIRTH:	BALLAST WPL JSP PY EY SPL ISP 9.13	630 0.00 0.00 0.00 0.00 NA 27.85		
FLOWN ONLY FROM THE JIB TACK (NEVER A POLE)  IF YOU HAVE AN ASYMMETRIC SPINNAKER WAS IT MADE PRIOR TO 2004?  ALWAYS USE-ABOVE DECK ROLLER FURLING GEAR WHEN RACING N-SPINN Yes No No Have you added to or replaced any sails in your inventory since your last rating?  Yes No No	LARGEST ASYMMETRIC SPINNAKER		ŀ				
ALWAYS USE-ABOVE DECK ROLLER FURLING GEAR WHEN RACING N-SPINN Yes No Have you added to or replaced any sails in your inventory since your last rating? Yes No				N/A Ye	es 🗌 No		
	ALWAYS USE-ABOVE DECK ROLLER Have you added to or replaced any sai	FURLING Is in your	GEAR WHEN I	RACING N-SPI e your last rati	NN ✓ Yes ☐ ng? ☐ ye	□ No □	

Can your boat power at 80%of hull s	peed in ca	Im seas?	✓ Yes	☐ No	
List all modifications that could poss	sibly affect	the performan	ce or rating of	this vessel:	
		-	-		
Does your boat have a self-bailing co		ed perths, galley	facilities, and	the ability	
IN WHICH FLEET DO YOU WANT TO	BE SCOR PINNAKER		I-SPINNAKER		
I HEREBY ACKNOWLEDGE AND AG	REE THAT	THE ABOVE IN	IFORMATION I	S CORRECT A	AND
VERSEARLE AND THE RV THE RU	W 101 AND		□		<del></del>
<u>VERIFIABLE ANY TIME BY THE DUC</u>	K ISLAND	HANDICAPPER	<b>I</b> A	GREE	
The following	a io for th	e handicappeı	to fill in fino	Lectings	
The following	g is for th	е папокарре	to IIII in Iina	i raungs.	
BOAT TYPE: ME	I GES 24	ONE DESIGN			
J:	7.95	ONE BESIGN	SPINN.	N-SPINN	
BASE HANDICAP:			90	103	
EXCESS MAINSAIL GIRTH:			0	0	
LP % OF J:	1		0	0	
SPINNAKER G/J:	1		0		
MAST ACTUAL "I"/STD. "I":	1		0	0	
PROPELLER:	N/A		0	0	
ASYMM. FLOWN FROM BOW:	19.22		0		
MISCELANEOUS:			0	0	
ROLLER FURLING CREDIT		<b>-</b>			
FINAL HANDICAP:			90	103	
DESIGNATED CLASS:	SB	T ON T- TCF	1.0156	0.9954	
DIYC Handicappers signature: P	aul von M	laffei		DATE:	8/24/2010
<del></del>				-	
COMMENTS FROM THE HANDICAPE	PER:				
				DIYCPHRF1	0-APPLICATION